

CLAIMS

1. A disc autochanger comprising:
disc holding members able to hold a plurality of discs,
a splitting member inserted in said disc holding members for splitting said disc holding members, and
an elevator mechanism for raising or lowering said disc holding members to a position for insertion of said splitting member and for raising or lowering at least part of said disc holding members to enable insertion of a playback part.
2. A disc autochanger as set forth in claim 1, further provided with a detector for making said elevator mechanism shift in an elevation direction to move said disc holding members and detecting at least one shift position for making that movement stop at a position facing said splitting member, a storage unit for storing a number of a disk to be played back, and a controller for controlling the drive of said splitting member and said elevator mechanism in accordance with outputs of said storage unit and said detector.
3. A disc autochanger as set forth in claim 2, wherein said controller holds a correspondence table between at least one shift position to be taken by each of said plurality of discs and said disc numbers.
4. A disc autochanger as set forth in claim 2, wherein said detector is comprised of a fixed base member and sensor units provided at said fixed base member and connected to said controller, and said sensor units detect said shift positions of said elevator mechanism.
5. A disc autochanger as set forth in claim 2, wherein said detector is comprised of a base member and sensor units provided at said base member and connected to said controller, said sensor units are arranged at shift positions corresponding to predetermined positions of said elevation direction at which said disc holding

member should stop, and said base member can move to the shift positions corresponding to said disc holding members.

6. A disc autochanger as set forth in claim 2, wherein said storage unit is comprised of a nonvolatile memory storing the number of a disc to be played back.

7. A disc autochanger as set forth in claim 2, wherein said storage unit is comprised of a drive mechanism driven based on the output of said controller and a sensor detecting dynamic changes of said drive mechanism and calculates the number of the disc to be played back from the value of the output of said sensor.

8. A disc autochanger as set forth in any one of claims 1 to 7, wherein said disc autochanger records on the discs.

9. A disc autochanger having disc holding members able to hold a plurality of discs, a table seat member for supporting said disc holding members, an elevator mechanism for raising or lowering said table seat member, and a splitting member inserted at a predetermined position of said disc holding members positioned by said elevator mechanism, said elevator mechanism lowering said table seat member after said splitting member is inserted into said disc holding members.

10. A disc autochanger having disc holding members able to hold a plurality of discs, a playback part able to be inserted into a separated space of said disc holding members, a table seat member for supporting said disc holding members, an elevator mechanism for raising or lowering said table seat member, and a splitting member inserted at a predetermined position of said disc holding members positioned by said elevator mechanism, said elevator mechanism lowering said table seat member after said splitting member is inserted into said disc holding members so as to separate said disc holding members into disc holding members supported by said splitting member and disc holding members supported by

said table seat member and said playback part playing back a disc in the formed separated space.

11. A disc autochanger as set forth in claim 9 or 10, having a controller provided with a position detector for detecting a position of said table seat member and controlling said elevator mechanism based on said position detector so as to move said table seat member to a position corresponding to a desired separation position of disc stockers.